

RECEIVED 1907170387293 P.02
CENTRAL FAX CENTER
FEB 02 2005

Attorney Docket No. 61384/016

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Naresh Vig
Group Art Unit: 3629

| | | |
|----------------|---|--|
| Application of | : | Gerald I. KESTENBAUM |
| Serial No. | : | 09/587,525 |
| Filing Date | : | June 5, 2000 |
| Entitled | : | APPARATUS AND METHOD FOR PROVIDING BUILDING MANAGEMENT INFORMATION |

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

| | |
|--|---------------|
| FACSIMILE TRANSMISSION CERTIFICATE | |
| I hereby certify that this paper is being FACSIMILE transmitted to the U.S. Patent and Trademark Office on the date shown below. | |
| <i>Diane Elber</i> | <i>2/2/05</i> |
| Signature | Date |

PETITION FOR EXTENSION OF TIME

Sir:

Applicant requests a two (2) month extension of time to respond to the Office Action dated September 10, 2004, in the above application from December 10, 2004, to February 10, 2005.

Please charge the fee of \$215.00 for the extension of time and any other fees that may be due from Deposit Account No. 16-2500 of the undersigned.

Respectfully Submitted,

Charles Guttman
Charles Guttman, Reg. No. 29,161
Attorney for Applicant

Best Available Copy

Attorney Docket No. 61384/016

Date: February 2, 2005

Proskauer Rose LLP
1585 Broadway
New York, New York 10036
(212) 969-3000

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.